

MEDUTEK



KATASPIR 20 eco

The compact suction unit



KATASPIR 20 eco

The compact suction unit
small and handy

KATASPIR 20 eco is suitable for nasal, oral and endotracheal aspiration of bodily fluids from adults and children. Indicated for tracheotomized patients, minor surgical applications and post-operative therapy. KATASPIR 20 eco finds application in outpatient and inpatient care, elderly care and in private care.

Efficient and **oilless and maintenance-free** piston pump. Also intended for non-stop operation.

It can be used with FLOVAC disposable liners or reusable containers.

SCOPE OF DELIVERY

- ✓ Small and handy unit
- ✓ Proven technology
- ✓ AquaSafe filter
- ✓ MEDUTEK service-package
- ✓ Silicone tubing set
- ✓ Reusable jar 1000 ml with cover

MAIN APPLICATIONS

ENT, Home Care, Room/Ward, Tracheostomy

Art.-no.: 483-KAT20ECO





TECHNICAL SPECIFICATIONS



- ✓ Max. free air flow rate: 15 l/min.
- ✓ Max. vakuüm (*adjustable*): - 0,75 bar / - 75 kPa
- ✓ Low noise level: 59,6 dBA



- ✓ 2 years of warranty
- ✓ **5 years MEDUTEK service-package**



SCOPE OF DELIVERY:

- ✓ KATASPIR 20 eco
- ✓ Silicon tubing set with filter
- ✓ 1000 ml jar with cover
- ✓ Instruction manual



- ✓ Duty cycle: Non-stop operation
- ✓ Motor: Oilless and maintenance-free piston pump
- ✓ Power feeding: 230V-50Hz



- ✓ Size: 250 x 190 x 160 mm
- ✓ Weight: 2,2 KG



Art.-no.: 483-KAT20ECO

+49-(0)421 427 480

INFO@MEDUTEK.COM



SUCTION UNITS



SUCTION UNITS

 +49-(0)421 427 480

 INFO@MEDUTEK.COM

MEDUTEK



KATASPIR 20

Respiratory tract suction



KATASPIR 20

Respiratory tract suction
efficient & reliable

KATASPIR 20 is suitable for nasal, oral and endotracheal aspiration of bodily fluids from adults and children. Indicated for tracheotomized patients, minor surgical applications and post-operative therapy. KATASPIR 20 finds application in outpatient and inpatient care, elderly care and in private care.

Efficient and **oilless and maintenance-free** piston pump. Also intended for non-stop operation.

It can be used with FLOVAC disposable liners or reusable containers.

SCOPE OF DELIVERY

- ✓ Small and handy unit
- ✓ Proven technology
- ✓ AquaSafe filter
- ✓ MEDUTEK service-package
- ✓ Silicone tubing set
- ✓ Reusable jar 1000 ml with cover

MAIN APPLICATIONS

ENT, Home Care, Room/Ward, Tracheostomy

Art.-no.: 483-KAT20NM





TECHNICAL SPECIFICATIONS



- ✓ Max. free air flow rate: 16 l/min.
- ✓ Max. vakuüm (*adjustable*): - 0,75 bar / - 75 kPa
- ✓ Low noise level: 60,5 dBA



- ✓ 2 years of warranty
- ✓ **5 years MEDUTEK service-package**



SCOPE OF DELIVERY:

- ✓ KATASPIR 20
- ✓ Silicon tubing set with filter
- ✓ 1000 ml jar with cover
- ✓ Instruction manual



- ✓ Duty cycle: Non-stop operation
- ✓ Motor: Oilless and maintenance-free piston pump
- ✓ Power feeding: 230V-50Hz



- ✓ Size: 350 x 210 x 180 mm
- ✓ Weight: 2,5 KG



Art.-no.: 483-KAT20NM

+49-(0)421 427 480

INFO@MEDUTEK.COM



SUCTION UNITS



SUCTION UNITS



+49-(0)421 427 480



INFO@MEDUTEK.COM

MEDUTEK



KATASPIR 30

The all-round suction pump



KATASPIR 30

The all-round suction pump
power & high-performance

KATASPIR 30 is suitable for nasal, oral and endotracheal aspiration of bodily fluids (mucus or catarrh) from adults and children. Indicated for tracheotomized patients, surgical applications and post-operative therapy, KATASPIR 30 finds application in out-patient and in-patient care, elderly care, in private care and at professional level due to its powerful suction capacity of 40 l/min.

Efficient and **oilless and maintenance-free** piston pump. Also intended for non-stop operation.

It can be used with FLOVAC disposable liners or reusable containers.

SCOPE OF DELIVERY

- ✓ Small and handy unit
- ✓ Proven technology
- ✓ AquaSafe filter
- ✓ MEDUTEK service-package
- ✓ Silicone tubing set
- ✓ Reusable jar 1000 ml with cover

MAIN APPLICATIONS

Endoscopy, Gastroenterology, General Surgery, Home Care, Obstetrics, Room/Ward, Tracheostomy, Veterinary

Art.-no.: 483-KAT30

 +49-(0)421 427 480

 INFO@MEDUTEK.COM



SUCTION UNITS



TECHNICAL SPECIFICATIONS



- ✓ Max. free air flow rate: 40 l/min.
- ✓ Max. vakuüm (*adjustable*): - 0,80 bar / - 80 kPa
- ✓ Low noise level: 60,5 dBA



- ✓ 2 years of warranty
- ✓ **5 years MEDUTEK service-package**



SCOPE OF DELIVERY:

- ✓ KATASPIR 30
- ✓ Silicon tubing set with filter
- ✓ 1000 ml jar with cover
- ✓ Instruction manual



- ✓ Duty cycle: Non-stop operation
- ✓ Motor: Oilless and maintenance-free piston pump
- ✓ Power feeding: 230V-50Hz



- ✓ Size: 350 x 210 x 180 mm
- ✓ Weight: 3,6 KG



Art.-no.: 483-KAT30

+49-(0)421 427 480

INFO@MEDUTEK.COM



SUCTION UNITS



SUCTION UNITS

 **+49-(0)421 427 480**

 **INFO@MEDUTEK.COM**

MEDUTEK



KATASPIR 230/12BR (Battery)

The mobile suction pump



KATASPIR 230/12BR

The mobile suction pump
mobility & hygienic design

KATASPIR 230/12BR is an electric suction unit for the aspiration of body liquids, oral, nasal and tracheal aspiration in adults or children. Suitable for emergency applications and for post-operative therapy, both in professional environment and home-care. Three different options for operation: AC/DC adapter, rechargeable battery and 12V make it a versatile suction unit approved for NON-STOP operation without overheating. Provided with visual and acoustic alarm indicating low battery level.

Efficient and **oilless and maintenance-free** piston pump. Also intended for non-stop operation.

It can be used with FLOVAC disposable liners or reusable containers.

SCOPE OF DELIVERY

- ✓ Small and handy unit
- ✓ Proven technology
- ✓ AquaSafe filter
- ✓ MEDUTEK service-package
- ✓ Silicone tubing set
- ✓ Reusable jar 1000 ml with cover

MAIN APPLICATIONS

*Emergency, Home Care, Patient Transfer, Room/
Ward, Tracheostomy, Veterinary*

Art.-no.: 483-KAT23012





TECHNICAL SPECIFICATIONS



- ✓ Max. free air flow rate: 16 l/min.
- ✓ Max. vakuüm (*adjustable*): - 0,75 bar / - 75 kPa
- ✓ Low noise level: 63,0 dBA



- ✓ 2 years of warranty
- ✓ **5 years MEDUTEK service-package**



SCOPE OF DELIVERY:

- ✓ KATASPIR 230/12BR
- ✓ Silicon tubing set with filter
- ✓ 1000 ml jar with cover
- ✓ Instruction manual
- ✓ Power Supply Unit (AC/DC adapter, 12V adapter)



- ✓ Duty cycle: Non-stop operation (by mains only)
- ✓ Motor: Oilless and maintenance-free piston pump
- ✓ Power feeding: 14V 4A by AC/DC Universal Adapter, Internal Rechargeable Pb Battery, - Autonomy 80min - Recharging Time 240 min Car Adapter (12V 1,9A)



- ✓ Size: 350 x 210 x 180 mm
- ✓ Weight: 3,5 KG





SUCTION UNITS

 **+49-(0)421 427 480**

 **INFO@MEDUTEK.COM**

MEDUTEK



KATASPIR 36BR (Battery)

Mobility with high-power



KATASPIR 36BR

Mobility with high-power

KATASPIR 36BR is a portable suction unit for the aspiration of body liquids, oral, nasal and tracheal aspiration in adults or children. For professional use and with a powerful aspiration of max 36 l/min, KATASPIR 36BR is lightweight for easy transport. Three different options for operation: AC/DC adapter, internal rechargeable battery and 12V make it a versatile suction unit approved for NON-STOP operation without overheating. Provided with visual and acoustic alarm indicating low battery level.

Efficient and **oilless and maintenance-free** piston pump. Also intended for non-stop operation.

It can be used with FLOVAC disposable liners or reusable containers.

SCOPE OF DELIVERY

- ✓ Small and handy unit
- ✓ Proven technology
- ✓ AquaSafe filter
- ✓ MEDUTEK service-package
- ✓ Silicone tubing set
- ✓ Reusable jar 1000 ml with cover

MAIN APPLICATIONS

Ambulance Car, Emergency, Home Care, Patient Transfer, Room/Ward, Tracheostomy, Veterinary

Art.-no.: 483-KAT36BR

 +49-(0)421 427 480

 INFO@MEDUTEK.COM



SUCTION UNITS



TECHNICAL SPECIFICATIONS



- ✓ Max. free air flow rate: 36 l/min.
- ✓ Max. vakuüm (*adjustable*): - 0,80 bar / - 80 kPa
- ✓ Low noise level: 65,5 dBA



- ✓ 2 years of warranty
- ✓ **5 years MEDUTEK service-package**



SCOPE OF DELIVERY:

- ✓ KATASPIR 36BR
- ✓ Silicon tubing set with filter
- ✓ 1000 ml jar with cover
- ✓ Instruction manual
- ✓ Power Supply Unit (AC/DC adapter, 12V adapter)



- ✓ Duty cycle: Non-stop operation (by mains only)
- ✓ Motor: Oilless and maintenance-free piston pump
- ✓ Power feeding: 14V 4A by AC/DC Universal Adapter, Internal Rechargeable Pb Battery, - Autonomy 60min - Recharging Time 240 min - Car Adapter



- ✓ Size: 350 x 210 x 180 mm
- ✓ Weight: 4,39 KG



Art.-no.: 483-KAT36BR

+49-(0)421 427 480

INFO@MEDUTEK.COM



SUCTION UNITS



SUCTION UNITS

 **+49-(0)421 427 480**

 **INFO@MEDUTEK.COM**

MEDUTEK



with Electronic Change-Over System from jar to jar and 5 years MEDUTEK Service-Package

KATASPIR PRO
The Professional **Aspiration**



KATASPIR PRO

The Professional **Aspiration**
efficient & powerful suction unit

KATASPIR PRO has been designed for professional aspiration of bodily fluids, tissues or bones of the patient during or after surgery. The state-of-the-art **oilless pump** guarantees high performances with excellent suction capacities and **max vacuum reachable within a few seconds** (90 l/min. freeflow), with no need for maintenance. A clear dashboard along with a full range of accessories makes it the ideal device for surgical suction and liposuction.

KATASPIR PRO series offer a great versatility to users when it comes to change type of jars for liquid collection, regardless in which configuration the suction unit has been supplied in origin. A full line of accessories complete the range.

During the suction a container change by electronic switching is possible.

SCOPE OF DELIVERY

- ✓ High performances
- ✓ Reliable technology
- ✓ 2 suction inlets
- ✓ MEDUTEK Service-Package
- ✓ Foot-Switch
- ✓ Different Jar volumens
- ✓ Silicone Tubing with Filter

ANWENDUNGSBEREICHE

*Emergency, General Surgery, Gynecology,
Liposuction, Neurosurgery, Obstetrics,
Operating Theatre, Dental Practice*

Art.-no.: 483-KAT/PRO





TECHNICAL DATA



- ✓ Max. suction: 90 l/min. freeflow
- ✓ Max. Vacuum (*adjustable*): - 0,90 bar / - 90 kPa
- ✓ Noise Level: 46,4 dBA



- ✓ Years of Warranty 2
- ✓ **5 years MEDUTEK Service-Package**



SCOPE OF DELIVERY:

- ✓ Suction unit KATASPIR PRO
- ✓ Foot Switch
- ✓ Silicone Tubing with Filter
- ✓ 2 Suction Inlets (*Electronic Change-Over System from jar to jar*)
- ✓ 2 Jars (*System Reusable or Liners in different Volumens*)



- ✓ Duty cycle: Non-stop operation
- ✓ Motor: Oilless and maintenance-free piston pump
- ✓ Power feeding: 230V-50Hz



- ✓ Size: 460 x 850 x 420 mm
- ✓ Weight: 20 KG



Art.-Nr.: 483-KAT/PRO

 +49-(0)421 427 480

 INFO@MEDUTEK.COM



SUCTION UNITS



SUCTION UNITS

 **+49-(0)421 427 480**

 **INFO@MEDUTEK.COM**